



Substitution Request Form

Specified Item: _____

Specification Section: **Masonry Accessories**

Proposed Substitution: **York 304 Self Adhering Stainless Steel**

Performance Characteristics		
	Rubberized Asphalt	York 304 Self Adhering Stainless Steel
Base Material	Petroleum	Stainless Steel
Puncture (ASTM E154)	80 psi	2,500+ psi
Tensile Strength (ASTM D412)	1,200 psi	100,000 psi
UV Exposure (days)	30	Unlimited
Recycled Material	1%	60%
Application Temperature	40°F to 120°F	20° F to 170° F

Technical data sheet includes product description, specifications, performance and test data adequate for evaluation of the request. If not present, is available at www.yorkmfg.com or 1-800-551-2828

The undersigned certifies that the following paragraphs, unless modified by attachments, are correct:

1. The proposed substitution does not affect dimensions shown on drawings.
2. The proposed substitution will have no adverse effect on the other trades, the construction schedule, or specified warranty requirements.
3. Local support and availability will be available for proposed substitution.
4. Mock-up wall materials available upon request.

The undersigned further states that the function and quality of the proposed product substitution is equivalent or superior to the specified item.

Submitted by: _____
 Firm: _____
 Address: _____
 Phone: _____ Fax: _____
 Email: _____
 Signature: _____
 Corporate Officer: _____
 Printed Name: _____
 Date: _____

A & E Review
 Date: ____/____/____
 Accepted _____
 Not Accepted _____
 Address: _____
 Accepted as noted _____
 Remarks: