



# Product Substitution Request

Submitted To: \_\_\_\_\_

Project: \_\_\_\_\_

Specified Item: \_\_\_\_\_

Specification Section: **Masonry Accessories**

Proposed Substitution: **Multi-Flash™ 316 Stainless Steel**

Performance Characteristics					
	Rubberized Asphalt	Elvaloy KEE	EPDM	Asphalt Copper Fabric 5oz	Multi-Flash™ Stainless Steel
Warranty (Maximum)	5 years	None	10 years	None	Lifetime
Puncture (ASTM E154)	80 psi	NA	NA	390 psi	2,500+ psi
Tensile Strength (ASTM D412)	1,200	650	1,305	32,000	100,000
UV Exposure (days)	30	Unlimited	Unlimited	30	Unlimited
Recycled Material	1%	1%	3%	51%	60%

Technical data sheet includes product description, specifications, performance and test data adequate for evaluation of the request. If not present, is available at [www.yorkmfg.com](http://www.yorkmfg.com) or 1-800-551-2828

The undersigned certifies that the following paragraphs, unless modified by attachments, are correct:

1. The proposed substitution does not affect dimensions shown on drawings.
2. The proposed substitution will have no adverse effect on the other trades, the construction schedule, or specified warranty requirements.
3. Local support and availability will be available for proposed substitution.
4. Mock-up wall materials available upon request.

The undersigned further states that the function and quality of the proposed product substitution is equivalent or superior to the specified item.

### SUBMITTED BY

Name: \_\_\_\_\_ Title: \_\_\_\_\_

Firm: \_\_\_\_\_ Address: \_\_\_\_\_

Phone: \_\_\_\_\_ E-mail: \_\_\_\_\_

Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Remarks: \_\_\_\_\_

### A&E REVIEW

- Accepted
- Not Accepted
- Accepted as noted

Remarks: \_\_\_\_\_

Reviewed by: \_\_\_\_\_ Date: \_\_\_\_\_